



**SD Card real time data recorder**  
**Analog output**  
**Acceleration, Velocity, Displacement**  
**VIBRATION METER**  
**Model : VB-8216SD**

- \* Analog output, it can connect the Spectrum analyzer APP or used for other application.
- \* Real time data logger, save the data into the SD memory card and can be downloaded to the Excel, extra software is no need.
- \* Acceleration : 200 m/s<sup>2</sup>.  
Velocity : 200 mm/s.  
Displacement : 2.000 mm.
- \* Frequency range 10 Hz - 1 KHz, sensitivity relative meet ISO 2954.
- \* Professional vibration meter supply with vibration sensor and magnetic base, full set.
- \* Metric & Imperial display unit.
- \* Max hold, peak value, data hold.
- \* Memory ( Max., Min. ).
- \* Zero button.
- \* RS232/USB computer interface, Patented.
- \* Vibration sensor is the standard accessory.
- \* 4P Analog output cable is the standard accessory.

**SD Card real time data recorder**  
**Analog output**  
**Acceleration, Velocity**  
**VIBRATION METER**  
**Model : VB-8215SD**

- \* Analog output, it can connect the the Spectrum analyzer APP or used for other application.
- \* Real time data logger, save the data into the SD memory card and can be downloaded to the Excel, extra software is no need.
- \* Acceleration : 200 m/s<sup>2</sup>.  
Velocity : 200 mm/s.
- \* Frequency range 10 Hz - 1 KHz, sensitivity relative meet ISO 2954.
- \* Professional vibration meter supply with vibration sensor and magnetic base, full set.
- \* Metric & Imperial display unit.
- \* Max hold, peak value, data hold.
- \* Memory ( Max., Min. ).
- \* Zero button.
- \* RS232/USB computer interface.
- \* Vibration sensor is the standard accessory.
- \* 4P Analog output cable is the standard accessory.